



## MASTERCHARGE 370 230V



### Overview

#### MASTERCHARGE 370 230V

cod. 893001

Charging station for electric vehicles in AC alternating current (Mode 3).

Mastercharge is equipped with a built-in, 5-metre long charging cable with Type 2 connection and is suitable both for indoor and outdoor installations in protected zones (IP54, working temperature -20° C; +50° C).

Mastercharge can only be used via authentication with a RFID badge by authorised users only.







The charge status of the vehicle is always visible on the front led on the product.

Easy to install, Mastercharge is a plug-and-charge, safe and intuitive solution.

Features:

- 3,7 kW power (16A 230V singlephase);
- Mode 3 connection, Type 2 connector;
- 5-metre long cable;
- Activation via RFID badge (4 cards supplied);
- Rating IP54;
- Complies with LVD (EN 61851-1, EN 61851-22) and EMC (EN 61000-6-2, EN 61000-6-3) norms.

### Technical data

<b>CODE</b>	CODE 893001		STAND-BY POWER 3		OVERVOLTAGE CATEGORY III
<b>V<sub>1PH</sub></b>	SINGLE PHASE MAINS VOLTAGE 230 V		EV CONNECTOR TYPE Type 2		DIMENSIONS 32,5 x 21, 5 x 7,7 cm
<b>F</b>	MAINS FREQUENCY 50 Hz	<b>MODE</b>	RECHARGE MODE Mode 3		WEIGHT 3,8 kg
<b>P<sub>MAX</sub></b>	MAX ABSORBED POWER 3,7 KW		CABLE TYPE Case C	<b>BAR CODE</b>	EAN CODE 8056151818416
<b>A<sub>MAX</sub></b>	MAX CURRENT 16 A	<b>IP</b>	PROTECTION DEGREE IP54		